

The following Tables identify the proportion of clients prevention counseled in 1999 who indicated a specific drug use during sexual or needle sharing activities in the previous year.

### Bexar

#### White

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	51.0%	93.8%	97.3%	56.5%	59.2%
Heroin	0.5%	46.9%	52.0%	2.2%	1.6%
Cocaine	8.9%	81.4%	76.0%	12.2%	12.2%
Marijuana	21.3%	63.7%	69.3%	26.0%	30.4%
Alcohol	47.0%	80.5%	69.3%	52.0%	53.2%
Amphetamines	2.0%	43.4%	52.0%	6.1%	5.3%
Inhalants	1.5%	11.5%	8.0%	1.8%	0.9%
Other drugs	1.5%	17.7%	5.3%	2.8%	2.3%

#### African American

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	59.5%	92.9%	81.8%	63.3%	55.4%
Heroin		64.3%	45.5%	0.5%	2.2%
Cocaine	16.2%	82.1%	59.1%	16.9%	18.6%
Marijuana	29.7%	53.6%	59.1%	38.7%	30.0%
Alcohol	59.5%	67.9%	72.7%	51.6%	46.1%
Amphetamines		14.3%	27.3%	2.0%	3.1%
Inhalants			4.5%	0.5%	0.6%
Other drugs		7.1%	9.1%	1.5%	1.5%

#### Hispanic

	M/MS	IDU		F/MS	
	Male	Male	Female	Male	Female
Drug use	54.0%	93.7%	94.6%	61.2%	50.2%
Heroin	1.9%	73.6%	66.7%	3.7%	1.9%
Cocaine	16.0%	69.2%	84.9%	19.0%	12.0%
Marijuana	28.1%	55.3%	51.6%	32.3%	22.5%
Alcohol	49.8%	78.6%	63.4%	53.8%	43.7%
Amphetamines	3.0%	21.4%	23.7%	3.2%	2.4%
Inhalants		11.3%	10.8%	1.3%	1.6%
Other drugs	1.5%	11.3%	9.7%	3.4%	1.4%

**Corpus Christi****White**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	65.5%	82.5%	85.9%	77.5%	65.5%
Heroin	1.7%	27.8%	45.3%	3.1%	2.5%
Cocaine	12.1%	53.2%	46.9%	20.4%	14.7%
Marijuana	12.1%	25.4%	28.1%	25.7%	23.4%
Alcohol	53.4%	45.2%	51.6%	57.1%	51.8%
Amphetamines	5.2%	12.7%	23.4%	7.3%	5.6%
Inhalants		1.6%	6.3%	2.1%	2.0%
Other drugs	3.4%	7.1%	6.3%	4.7%	6.1%

**African American**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	71.4%	100.0%	100.0%	63.4%	66.1%
Heroin		25.0%	25.0%		1.7%
Cocaine		75.0%	50.0%	7.3%	33.9%
Marijuana	42.9%	50.0%	50.0%	29.3%	25.4%
Alcohol	57.1%	50.0%	25.0%	26.8%	47.5%
Amphetamines					
Inhalants					
Other drugs			50.0%	2.4%	3.4%

**Hispanic**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	71.2%	90.3%	94.4%	78.5%	62.4%
Heroin	1.9%	43.5%	52.8%	3.3%	3.0%
Cocaine	15.4%	45.5%	54.2%	24.8%	17.7%
Marijuana	21.2%	31.2%	25.0%	35.7%	23.6%
Alcohol	59.6%	55.8%	52.8%	54.5%	49.1%
Amphetamines		5.8%	5.6%	2.2%	3.3%
Inhalants	1.0%	1.3%	4.2%	3.3%	3.3%
Other drugs		7.1%	1.4%	4.9%	3.3%

**South Border****White**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	53.2%	90.2%	100.0%	56.4%	54.9%
Heroin		53.7%	37.0%	1.8%	2.8%
Cocaine	10.4%	63.4%	85.2%	14.2%	14.6%
Marijuana	9.1%	36.6%	18.5%	28.9%	11.8%
Alcohol	49.4%	56.1%	66.7%	46.8%	49.3%
Amphetamines		19.5%	18.5%	2.8%	1.4%
Inhalants	1.3%			0.9%	0.7%
Other drugs		14.6%	3.7%	2.8%	3.5%

**African American**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	57.1%	66.7%	66.7%	65.1%	76.9%
Heroin			33.3%		2.6%
Cocaine	28.6%	66.7%	33.3%	20.5%	66.7%
Marijuana	28.6%	33.3%		31.3%	20.5%
Alcohol	57.1%	66.7%	33.3%	50.6%	61.5%
Amphetamines				1.2%	2.6%
Inhalants					
Other drugs				4.8%	

**Hispanic**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	44.0%	84.4%	74.5%	58.0%	30.0%
Heroin	0.2%	57.4%	61.8%	1.4%	0.4%
Cocaine	8.2%	35.4%	22.2%	20.8%	6.9%
Marijuana	14.0%	32.1%	16.0%	26.8%	7.1%
Alcohol	41.0%	39.7%	34.4%	50.7%	27.1%
Amphetamines	0.4%	3.6%	1.4%	1.1%	0.2%
Inhalants	1.2%	3.8%	1.4%	1.8%	0.5%
Other drugs	0.5%	6.7%	3.8%	4.5%	1.7%

**Rural South Texas****White**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	70.0%	84.4%	90.0%	72.0%	58.0%
Heroin	5.0%	35.6%	60.0%	5.6%	2.5%
Cocaine	15.0%	48.9%	50.0%	12.8%	8.4%
Marijuana	20.0%	33.3%	30.0%	35.2%	14.3%
Alcohol	70.0%	53.3%	45.0%	56.8%	45.4%
Amphetamines		13.3%	20.0%	3.2%	3.4%
Inhalants	5.0%	4.4%		0.8%	
Other drugs		8.9%			1.7%

**African American**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	75.0%	100.0%	85.7%	70.7%	81.8%
Heroin		33.3%	57.1%	1.7%	
Cocaine		33.3%	85.7%	17.2%	45.5%
Marijuana	25.0%	66.7%	28.6%	37.9%	45.5%
Alcohol	75.0%	100.0%	57.1%	51.7%	68.2%
Amphetamines			28.6%		9.1%
Inhalants		33.3%	28.6%	1.7%	
Other drugs		33.3%	14.3%		

**Hispanic**

	<b>M/MS</b>	<b>IDU</b>		<b>F/MS</b>	
	<b>Male</b>	<b>Male</b>	<b>Female</b>	<b>Male</b>	<b>Female</b>
Drug use	59.2%	77.6%	88.2%	70.4%	58.2%
Heroin		38.8%	55.9%	2.5%	3.0%
Cocaine	13.2%	33.5%	29.4%	18.6%	8.2%
Marijuana	26.3%	25.9%	41.2%	29.3%	14.2%
Alcohol	47.4%	41.2%	44.1%	55.4%	53.0%
Amphetamines	1.3%	1.2%	2.9%	1.4%	
Inhalants	2.6%	2.4%	2.9%	0.7%	0.7%
Other drugs	1.3%	1.2%		1.1%	0.7%